



ISO/IEC 17025:2017
 Accreditation #: 75696
 lab@summitnutritional.com

Report Number: 220818 003-02.43
 Date Reported: 8/22/2022 12:22:38 PM

Sample Details

Product #: Ashwagandha with Black Pepper
 Description: Ashwagandha with Black Pepper
 Lot #: ASH220628
 Received: 8/18/2022 10:36:54 AM

Customer Information

Vox Nutrition
 5647 W Wells Park Rd
 West Jordan, Utah 84081

Sample Details: Bag# 56

Certificate of Analysis

| Chemistry | Method | Specifications | Result | Units |
|-------------------------------|----------------|-------------------------------|----------------|-------|
| Heavy Metals | | | | |
| Arsenic | USP <2232> | < 15 | 0.083 | ppm |
| Cadmium | USP <2232> | < 5 | 0.041 | ppm |
| Lead | USP <2232> | < 5 | 0.172 | ppm |
| Mercury | USP <2232> | < 15 | < 0.001 | ppm |
| Physical | | | | |
| Identity Test By NIR | USP <1119> | Ashwagandha with Black Pepper | Confirmed | |
| NIR Identity Distance | USP <1119> | < 0.114983 | 0.070285 | |
| NIR Identity Spectra Residual | USP <1119> | < 0.005604 | 0.001345 | |
| Appearance | SNL.MA.202 | Capsule | Capsule | |
| Color | SNL.MA.202 | Brown | Brown | |
| Odor | SNL.MA.202 | Characteristic | Characteristic | |
| Average Gross Weight | WI.USP.2091.02 | | 760.50 | mg |
| Average Net Fill Weight | WI.USP.2091.02 | | 637.00 | mg |
| %RSD | WI.USP.2091.02 | | 3.3 | % RSD |

| Microbiology | Method | Specifications | Result | Units |
|-----------------------|----------------------|----------------|---------------|---------|
| Total Plate Count | Biolumix | < 1.00E+07 | <10000000 | cfu/g |
| Total Coliform | USP <2021> | < 10000 | 3100 | cfu/g |
| E.coli | Biolumix | None Detected | None Detected | cfu/10g |
| Salmonella spp. | AOAC 2013.01 <Vidas> | None Detected | None Detected | cfu/10g |
| Staphylococcus aureus | Biolumix | None Detected | None Detected | cfu/10g |
| Yeasts & Molds | USP <2021> | < 50000 | <1000 | cfu/g |

Report Approved by: 
 Joel Nelson
 Laboratory Manager

*= Please review Client Specifications

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results. This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.